


# GOLDIZEN AND ASSOCIATES

INTELLECTUAL PROPERTY ATTORNEYS

505 S. Independence Blvd.  
Suite 102  
Virginia Beach, VA 23452

Direct Dial (757) 490-1151  
Facsimile (757) 497-5560  
<http://www.patentit4u.com>

IFW



May 19, 2005

Commissioner for Patents  
P. O. Box 1450  
Alexandria, VA 22313-1450

Re: U. S. Patent Application No. 10/782,494  
SYSTEM, METHOD AND APPARATUS FOR DETECTING BREACH  
OF EXPOSURE PROTECTION EQUIPMENT  
Client Ref: MCTQ-PO2650US1

Dear Sir:

On March 30, 2005, we filed a Revocation of Power of Attorney with New Power of Attorney and Change of Correspondence Address for the above-identified application. We asked that the practitioner and correspondence address to be associated with Customer Number 40816.

Attached is a copy of a Notice of Acceptance of Power of Attorney that was sent to us on May 19, 2005. Please note the application number was 10/782,484 which is not our application.

Enclosed please find a copy of the Revocation of Power of Attorney with New Power of Attorney and Change of Correspondence Address filed as well as a copy of the Notice of Acceptance of Power of Attorney that was received. Thank you for your assistance in this matter. If you have any questions or concerns, please do not hesitate to contact me.

Sincerely,

Bradley D. Goldizen

BDG/klf  
Enclosure

PATENTS

TRADEMARKS

COPYRIGHTS

DOMAIN NAME DISPUTES

UNFAIR COMPETITION

